

ATLANTIS



Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Heat Output (at 50 C)			
						Painted		Chrome Plated	
						btu	watt	btu	watt
500	950	440	C.H - PH - E.H	7,85	13,40	1605	625	1570	588
500	1300	440	C.H - PH - E.H	9,40	17,15	2289	896	2251	862

polished
white
anthracite
black

INIESTA



Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Heat Output (at 50°C)			
						Painted		Chrome Plated	
						btu	watt	btu	watt
515	800	455	C.H - P.H - E.H	4.85	9.15	1215	355	1180	358
515	1200	455	C.H - P.H - E.H	6.45	12.56	1560	486	1520	445

polished
white
anthracite
black

ATLAS



Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Heat Output (at 50 C)			
						Painted		Chrome Plated	
						btu	watt	btu	watt
500	950	468	C.H - P.H - E.H	6,25	10,40	1310	489	1246	445
500	1300	468	C.H - P.H - E.H	8,35	14,15	1812	785	1755	730

polished

white

anthracite

black

CASTELL



Width (cm)	Height (cm)	Connection Center (cm)	Fast Type	Water Capacity (l)	Weight (kg)	Heat Output (at 50 C)			
						Painted		Chrome Plated	
						btu	watt	btu	watt
240	1800	330	C.H - PH	8,75	11,75	201	700	2065	645
400	1800	490	C.H - PH	13,85	23,00	3385	1188	3328	1148

polished

white

anthracite

black

ALMINA




Heat Output (at 50 °C)

Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Painted		Chrome Plated	
						btu	watt	btu	watt
300	900	100	C.H - P.H - E.H	5,25	9,30	1809	629	1748	599
300	1200	100	C.H - P.H - E.H	6,85	12,85	2531	948	2461	915
300	1600	100	C.H - P.H - E.H	10,50	16,80	3295	1163	3239	1130

polished
white
anthracite
black

COOK



Heat Output (at 50 C)

Painted

Chrome Plated

Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (lt)	Weight (kg)	Painted		Chrome Plated	
						btu	watt	btu	watt
340	900	430	C.H - PH	3,30	6,20	1010	295	965	280
340	1400	430	C.H - PH	4,95	8,90	1503	440	1470	415
340	1800	430	C.H - PH	6,10	10,85	1898	555	1839	527
550	900	640	C.H - PH	5,40	9,25	1640	480	1600	449
550	1400	640	C.H - PH	7,90	13,40	2442	714	2401	683
550	1800	640	C.H - PH	9,80	17,25	3063	901	3015	875

polished

white

anthracite

black

ELINO




Heat Output (at 50 C)

Width (cm)	Height (cm)	Connection Center (cm)	Fuel Type	Water Capacity (l)	Weight (kg)	Painted		Chrome Plated	
						btu	watt	btu	watt
500	800	100	C.H - PH - E.H	4,80	9,15	126	365	180	358
500	1200	100	C.H - PH - E.H	6,40	12,65	1660	486	1520	445

polished
white
anthracite
black

ETERNITY



Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (lt)	Weight (kg)	Heat Output (at 50°C)	
						Painted	Chrome Plated
500	1000	100	C.H - P.H - E.H	5,80	9,35	1320 watt	425 watt
500	1550	100	C.H - P.H - E.H	8,70	13,95	1860 watt	598 watt

polished

white

anthracite

black

PERGAMON



Heat Output (at 50 °C)

Painted

Chrome Plated

Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Painted		Chrome Plated	
						btu	watt	btu	watt
500	800	468	C.H - P.H - E.H	5,00	8,75	765	615	1715	583
500	1100	468	C.H - P.H - E.H	6,55	11,90	2385	830	2315	795

*polished**white**anthracite**black*

LAZO



Heat Output (at 50°C)

Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Painted		Chrome Plated	
						btu	watt	btu	watt
500	1000	72	C.H - P.H - E.H	4,10	7,40	1098	392	1050	312
600	1400	72	C.H - P.H - E.H	5,85	10,30	1562	527	1535	502

polished

white

anthracite

black

CUBIC



Heat Output (at 50 C)

Painted		Chrome Plated	
btu	watt	btu	watt
495	1532	468	1392
715	2207	686	2018
940	2894	902	2666

Width (mm)	Height (mm)	Connection Center (mm)	Foot Type	Water Capacity (l)	Weight (kg)	btu	watt	btu	watt
500	800	470	C.H - P.H - E.H	5,20	9,40	1568	495	1532	468
500	1200	470	C.H - P.H - E.H	7,45	12,60	2248	715	2207	686
500	1600	470	C.H - P.H - E.H	9,65	17,50	3040	940	2894	902

polished

white

anthracite

black

BASKET



Width (mm)	Height (mm)	Connector Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Heat Output (at 50°C)			
						Painted		Chrome Plated	
						btu	watt	btu	watt
700	330	50	C.H - P.H	5.10	9.50	1278	375	1243	362

polished
white
anthracite
black

BARCOS



Heat Output (at 50 C)

Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Painted		Chrome Plated	
						btu	watt	btu	watt
500	800	468	C.H - P.H - E.H	5,50	9,60	2118	738	2058	707
500	1400	468	C.H - P.H - E.H	8,40	15,95	3077	1107	3087	1060

polished
white
anthracite
black

SONYA



Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Heat Output (at 50°C)			
						Painted		Chrome Plated	
						btu	watt	btu	watt
270	1800	360	C.H - PH	9,75	12,25	168	367	140	345


polished

white

anthracite

black

ASYA



Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Heat Output (at 50 C)			
						Painted		Chrome Plated	
						btu	watt	btu	watt
500	900	100	C.H - P.H - E.H	4,95	6,80	1131	390	1092	358

polished

white

anthracite

black

MYTH



Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Heat Output (at 50 C)			
						Painted		Chrome Plated	
						l/s	watt	l/s	watt
500	800	455	C.H - PH - E.H	4,70	7,10	1265	403	1225	367
500	1200	455	C.H - PH - E.H	7,25	10,30	1895	606	1840	570
500	1500	455	C.H - PH - E.H	10,30	13,60	2645	906	2790	865
600	800	455	C.H - PH - E.H	5,70	8,10	1455	464	1400	433
600	1200	455	C.H - PH - E.H	8,35	11,80	2182	696	2138	659
600	1500	455	C.H - PH - E.H	11,25	15,50	3275	1045	3230	1008


polished

white

anthracite

black

BACE



Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Heat Output (at 50°C)			
						Painted		Chrome Plated	
						btu	watt	btu	watt
485	550	575	C.H - P.H - E.H	3.50	8.50	948	277	900	245
685	550	745	C.H - P.H - E.H	4.40	11.20	1267	371	1235	342
825	550	915	C.H - P.H - E.H	5.30	13.80	1585	464	1540	438
995	550	1085	C.H - P.H - E.H	6.20	16.40	1906	557	1862	517

polished

white

anthracite

black

MIRA



Width (mm)	Height (mm)	Connection Center (mm)	Fast Type	Water Capacity (l)	Weight (kg)	Heat Output (at 50 C)			
						Painted		Chrome Plated	
						btu	watt	btu	watt
500	620	440	C.H - PH - E.H	4.80	7.15	990	345	960	325
500	960	440	C.H - PH - E.H	6.45	10.45	1505	495	1470	470
500	1300	440	C.H - PH - E.H	8.70	13.65	2015	665	1972	632

polished
white
anthracite
black

CARNAT



Heat Output (At 50 C)

Painted		Chrome Plated	
btu	watt	btu	watt
305	958	958	275
435	1367	400	

Width (mm)	Height (mm)	Connection Center (mm)	Foot Type	Water Capacity (l)	Weight (kg)	Painted		Chrome Plated	
						btu	watt	btu	watt
500	800	470	C.H - P.H - E.H	3,70	5,85	955	305	958	275
500	1200	470	C.H - P.H - E.H	3,85	8,00	1415	435	1367	400

polished
white
anthracite
black

MIRCUS



Width (cm)	Height (cm)	Connection Center (cm)	Fast Type	Water Capacity (l)	Weight (kg)	Heat Output (at 50 C)			
						Painted		Chrome-Plated	
500	900	300	C.H - P.H - E.H	6,90	10,25	1566	458	1528	430
500	1200	300	C.H - P.H - E.H	8,70	13,10	2020	655	1912	628

polished

white

anthracite

black

KALE



Width (cm)	Height (cm)	Connection Center (cm)	Fuel Type	Water Capacity (lt)	Weight (kg)	Heat Output (at 50 C)			
						Painted		Chrome Plated	
						btu	watt	btu	watt
210	1800	360	C.H - P.H - E.H	7,55	13,75	2054	686	2009	655
410	1800	500	C.H - P.H - E.H	11,00	20,00	2578	1090	2518	1058
550	1800	640	C.H - P.H - E.H	14,52	26,40	3084	1487	3042	1453

polished

white

anthracite

black

DICLE



Heat Output (at 50°C)

Painted

Chrome Plated

Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Painted		Chrome Plated	
						btu	watt	btu	watt
680	1200	100	C.H - P.H - E.H	8,75	14,30	2422	748	2381	726

polished

white

anthracite

black

GRADO



Heat Output (at 50°C)

Width (cm)	Height (cm)	Connection Center (cm)	Fuel Type	Water Capacity (l)	Weight (kg)	Painted		Chrome Plated	
						btu	watt	btu	watt
600	800	50	C.H - P.H - E.H	5,25	8,20	1964	625	1925	589
600	1190	50	C.H - P.H - E.H	7,92	15,00	2862	911	2832	870
600	1600	50	C.H - P.H - E.H	10,30	19,50	3706	1167	3673	1148

polished

white

anthracite

black

ATLANTIS



Heat Output (at 50°C)

Width (mm)	Height (mm)	Connection Center (mm)	Fuel Type	Water Capacity (l)	Weight (kg)	Heat Output (at 50°C)			
						Painted		Chrome Plated	
300	1200	255		3.65	4.47	1118	328	862	253
400	1200	355		4.30	5.61	1373	402	1058	310
500	1200	455		4.95	6.47	1628	477	1255	368
600	1200	555		5.61	7.33	1883	552	1451	425
750	1200	705		6.59	8.62	2265	664	1746	512

polished

white

anthracite

black

KIEV

Width (cm)	Height (cm)	Connection Center (cm)	Fuel Type	Water Capacity (l)	Weight (kg)	Heat Output (at 50 C)			
						Painted		Chrome Plated	
300	1200	255		3,65	4,47	1118	328	862	253
400	1200	355		4,30	5,61	1373	402	1058	310
500	1200	455		4,95	6,47	1628	477	1255	368
600	1200	555		5,61	7,33	1883	552	1451	425
750	1200	705		6,59	8,62	2265	694	1746	512

polished

white

anthracite

black

CH - CENTRAL HEATING - FH - PERSONAL HEATING - EH - ELECTRICAL HEATING

Nazsan Group Dış Ticaret Ve Danışmanlık Ltd Şti.

Organize sanayi Bölgesi 8.cadde No:15 Nazilli/Aydın Turkey

Gsm: +90 539 703 73 34 - E-mail: info@nazsangroup.com www.nazsangroup.com